Google Chrome Settings

Google Chrome Settings:

In order for the Angus AnyWhere modules to function properly within Axis Portal, pop-ups and cookies must be enabled. If you do not want these features enabled in general, you can create custom pop-up and cookie settings for Angus AnyWhere, as outlined below:

1. In your Chrome web browser, click the Menu button (=) and select Settings.

				☆
	New tab		6	Ctrl+T
	New window	V		Ctrl+N
	New incogni	ito windo	w Ctrl+S	hift+N
	History			1
	Downloads			Ctrl+J
	Bookmarks)
	Zoom	- 1	00% +	10
	Print			Ctrl+P
	Find			Ctrl+F
	More tools			1
	Edit	Cut	Сору	Paste
1	Settings			
	Help			
Ļ	Exit		Ctrl+S	hift+O

 In the Settings tab that opens in your browser, type "cookies" in the search bar (this will filter the settings, so only items related to cookies will be displayed), then click on Content settings.

Search results	cookies
Privacy	
Content settings Clear browsing data	
Googlecookies, may use web secookies, improve your browsing	experience. You may optionally disable
these services. <u>Learn more</u>	
Use a web service to help resolve navigation errors	
Use a prediction service to help complete searches and URLs	typed in the address bar or the app

3. In the Content settings popup, click Manage exceptions.

Content settings	
Cookies	

Allow local data to be	e set (recommended)
Keep local data only	until you quit your browser
Block sites from setting	ng any data
Block third-party cool	kies and site data
Manage exceptions	All cookies and site data

4. In the Cookie and site data exceptions popup, enter ng1.angusanywhere.com into the Hostname pattern field and press the Enter key on your keyboard. In the Behavior section, make sure that Allow is selected, then click Done.

Cookie and site data exceptions		×
Hostname pattern	Behavior	
ng1.angusanywhere.com	Allow	- ×
Learn more		Done

5. You are returned to the **Content settings** popup. Scroll down to the **Pop-ups** section and click **Manage exceptions**.

Conte	nt settings
Plugir	ıs
\bigcirc	Run all plugin content
۲	Detect and run important plugin content (recommended)
\bigcirc	Let me choose when to run plugin content
N	lanage exceptions
Ma	nage individual plugins
Pop-u	ips
\bigcirc	Allow all sites to show pop-ups
۲	Do not allow any site to show pop-ups (recommended)
N	lanage exceptions
Locati	on

 In the Pop-up exceptions popup, enter ng1.angusanywhere.com into the Hostname pattern field and press the Enter key on your keyboard. In the Behavior section, make sure that Allow is selected, then click Done.



7. You are returned to the **Content settings** popup. Click **Done**, and close the **Settings** tab in your browser.